## Parameters and equations of cosmology<sup>1</sup>

2 Feb 2003

The Robinson-Walker metric is

$$ds^{2} = -dt^{2} + a(t) \left[ \frac{1}{1 - kr^{2}} dr^{2} + r^{2} (d\theta^{2} + \sin^{2}\theta d\phi^{2}) \right]$$
 (1)

where k = 0, 1 or -1. For  $\Lambda = 0$  the equations are: the **Freidman equation** 

$$\left(\frac{\dot{a}}{a}\right)^2 + \frac{k}{a^2} = \frac{8\pi\rho}{3} \tag{2}$$

the acceleration equation

$$\frac{\ddot{a}}{a} = -\frac{4\pi}{3}(\rho + 3p) \tag{3}$$

and the fluid equation

$$\dot{\rho} + \frac{3\dot{a}}{a}(\rho + p) = 0\tag{4}$$

where p and  $\rho$  are the matter pressure and density. These are related by the equation of state, which depends on the type of matter. for dust, p = 0 and for radiation  $p = \rho/3$ .

It is common to related a and  $\rho$  to certain observationally significant parameters: the **Hubble parameter** 

$$H = \frac{\dot{a}}{a} \tag{5}$$

the deceleration parameter

$$q = -\frac{\ddot{a}a}{\dot{a}^2} \tag{6}$$

and the density parameter

$$\Omega = \frac{8\pi}{3} \frac{\rho}{H^2} \tag{7}$$

and so, the **Freidman equation** is

$$1 + \frac{k}{a^2 H^2} = \Omega \tag{8}$$

For  $\Lambda \neq 0$  the equations are: the **Freidman equation** 

$$\left(\frac{\dot{a}}{a}\right)^2 + \frac{k}{a^2} = \frac{8\pi\rho_M}{3} + \frac{\Lambda}{3} \tag{9}$$

<sup>&</sup>lt;sup>1</sup>Conor Houghton, houghton@maths.tcd.ie please send me any corrections.

the acceleration equation

$$\frac{\ddot{a}}{a} = -\frac{4\pi}{3}(\rho_M + 3p_M) + \frac{\Lambda}{3} \tag{10}$$

with the fluid equation is unaffected.  $p_M$  and  $\rho_M$  are the matter pressure and density. These equations reduce the  $\Lambda=0$  equations above if we write  $\rho=\rho_M+\rho_\Lambda$  and  $p=p_M+p_\Lambda$  where  $\rho_\Lambda=-p_\Lambda=\Lambda/8\pi$ . We also define

$$\Omega_{\Lambda} = \frac{\Lambda}{3H^2} \tag{11}$$

and the Freidman equation becomes

$$1 + \frac{k}{a^2 H^2} = \Omega_M + \Omega_\Lambda \tag{12}$$