

Piotr Zakrzewski

A characterization of the meager ideal

Comment.Math.Univ.Carolin. 56,1 (2015) 45–50.

Abstract: We give a classical proof of the theorem stating that the σ -ideal of meager sets is the unique σ -ideal on a Polish group, generated by closed sets which is invariant under translations and ergodic.

Keywords: Polish group; σ -ideal; meager sets

AMS Subject Classification: 03E15, 54H05

REFERENCES

- [1] Balcerzak M., Rogowska D., *Making some ideals meager on sets of size of the continuum*, Topology Proc. **21** (1996), 1–13.
- [2] Kechris A.S., *Classical Descriptive Set Theory*, Graduate Texts in Mathematics, 156, Springer, New York, 1995.
- [3] Kechris A.S., Solecki S., *Approximation of analytic by Borel sets and definable countable chain conditions*, Israel J. Math. **89** (1995), 343–356.
- [4] Reclaw I., Zakrzewski P., *Fubini properties of ideals*, Real Anal. Exchange **25** (1999/00), no. 2, 565–578.
- [5] Zapletal J., *Forcing with ideals generated by closed sets*, Comment. Math. Univ. Carolin. **43** (2002), no. 1, 181–188.
- [6] Zapletal J., *Descriptive Set Theory and Definable Forcing*, Mem. Amer. Math. Soc. 167 (2004), no. 793.
- [7] Zapletal J., *Forcing Idealized*, Cambridge Tracts in Mathematics, 174, Cambridge University Press, Cambridge, 2008.