

GROUPOID C^* -ALGEBRAS

Mădălina Roxana Buneci

Abstract. The purpose of this paper is to recall the main ingredients of the construction of the C^* -algebra of a groupoid (introduced by Renault in [19]) and to collect some results on the independence of the C^* -algebra on the choice of Haar system.

[Full text](#)

References

- [1] C. Anantharaman-Delaroche, J. Renault, *Amenable groupoids*, Monographie de L'Enseignement Mathématique No 36, Geneve, 2000. [MR1799683](#)(2001m:22005). [Zbl 0960.43003](#).
- [2] W. Arveson, *An invitation to C^* -algebras*, Springer-Verlag, New York, 1976. [MR0512360](#)(58 #23621). [Zbl 0344.46123](#).
- [3] L.G. Brown, P. Green, M. Rieffel, *Stable isomorphism and strong Morita equivalence of C^* -algebras*, Pacific J. Math. **71**(1977), 349–363. [MR0463928](#)(57 #3866). [Zbl 0362.46043](#).
- [4] M. Buneci, *C^* -algebras associated to the transitive groupoids*, An. Univ. Craiova Ser. Mat. Inform. **28** (2001), 79–92. [MR1902038](#)(2003b:46085). [Zbl 1069.46510](#).
- [5] M. Buneci, *Haar systems and homomorphism on groupoids*, Operator algebras and mathematical physics (Constanta, 2001), 35–49, Theta, Bucharest, 2003. [MR2018222](#)(2004j:22006).
- [6] M. Buneci, *The structure of the Haar systems on locally compact groupoids*, Math. Phys. Electron. J. **8** (2002) Paper 4, 11 pp. (electronic). [MR1978500](#)(2004c:46102). [Zbl 1023.46057](#).

2000 Mathematics Subject Classification: 22A22, 43A05, 46L05, 46L52

Keywords: locally compact Hausdorff groupoid, Haar system, C^* -algebra, Morita equivalence.

This work was partially supported by the CEEEX grant ET65/2005, contract no 2987/11.10.2005, and partially by CNCSIS grant A1065/2006 from the Romanian Ministry of Education and Research.

<http://www.utgjiu.ro/math/sma>

- [7] M. Buneci, *Isomorphic groupoid C^* -algebras associated with different Haar systems*, New York J. Math. **11** (2005), 225-245. [MR2154355](#). [Zbl 1091.43001](#).
- [8] M. Buneci , *C^* -algebras associated to groupoids with proper orbit space*, Operator Theory 20 (Timisoara, 2004), 45-53.Theta Ser. Adv. Math., **6**, Theta, Bucharest, 2006.
- [9] A. Connes, *Sur la theorie noncommutative de l'integration*, Lecture Notes in Math. Springer-Verlag, Berlin **725** (1979) 19-143. [MR0548112](#)(81g:46090). [Zbl 0412.46053](#).
- [10] P. Hahn, *Haar measure for measure groupoids*, Trans. Amer. Math. Soc. **242** (1978), 1-33. [MR0496796](#)(82a:28012). [Zbl 0343.43003](#).
- [11] P. Hahn, *The regular representations of measure groupoids*, Trans. Amer. Math. Soc. **242** (1978), 34-72. [MR0496797](#)(81f:46075). [Zbl 0356.46055](#).
- [12] G. Mackey, *Induced representations of locally compact groups. I*, Ann. of Math., **55** (1952), 101-139. [MR0044536](#)(13,434a). [Zbl 0046.11601](#).
- [13] P. Muhly, J. Renault and D. Williams, *Equivalence and isomorphism for groupoid C^* -algebras*, J. Operator Theory **17** (1987), 3-22.[MR0873460](#)(88h:46123). [Zbl 0645.46040](#).
- [14] P. Muhly, *Coordinates in operator algebra*, (Book in preparation).
- [15] W. Paschke, *Inner product modules over B^* -algebras*, Trans. Amer. Math. Soc. **182** (1973), 443-468. [MR0355613](#)(50 #8087). [Zbl 0239.46062](#).
- [16] A. Ramsay, *Virtual groups and groups actions*, Adv. in Math. **6** (1971), 253-322. [MR0281876](#)(43 #7590). [Zbl 0216.14902](#).
- [17] A. Ramsay, *Topologies on measured groupoids*, J. Funct. Anal. **47** (1982), 314-343. [MR0665021](#)(83k:22014). [Zbl 0519.22003](#).
- [18] A. Ramsay and M. E. Walter, *Fourier-Stieltjes Algebras of locally compact groupoids*, J. Funct. Anal. **148** (1997), 314-367. [MR1469344](#)(99a:22010). [Zbl 0901.43002](#).
- [19] J. Renault, *A groupoid approach to C^* - algebras*, Lecture Notes in Math., Springer-Verlag, **793**, 1980. [MR0584266](#)(82h:46075). [Zbl 0433.46049](#).
- [20] J. Renault, *The ideal structure of groupoid crossed product algebras*, J. Operator Theory, **25** (1991), 3-36. [MR1191252](#)(94g:46074). [Zbl 0786.46050](#).
- [21] M. Rieffel, *Induced representations of C^* -algebras*, Adv. in Math. **13**(1974), 176-254. [MR0353003](#)(50 #5489). [Zbl 0284.46040](#).

- [22] M. Rieffel, *Strong Morita equivalence of certain transformation group C^* -algebras*, Math. Ann. **222** (1976), 7-22. [MR0419677](#)(54 #7695). [Zbl 0328.22013](#).
- [23] A. K. Seda, *A continuity property of Haar systems of measures*, Ann. Soc. Sci. Bruxelles **89** IV (1975), 429-433. [MR0402741](#)(53 #6555). [Zbl 0313.28018](#).
- [24] A.K. Seda, *Haar measures for groupoids*, Proc. Royal Irish Acad. **76**, Sec. A, no. 5, (1976), 25-36. [MR0427598](#)(55 #629). [Zbl 0329.43002](#).
- [25] A.K. Seda, *On the continuity of Haar measure on topological groupoids*, Proc. Amer. Math. Soc., **96** (1986), 115-120. [MR0813822](#)(87m:46146). [Zbl 0593.28015](#).
- [26] J. Westman, *Nontransitive groupoid algebras*, Univ. of California at Irvine, 1967.
- [27] J. Westman, *Harmonic analysis on groupoids*, Pacific J. Math. **27** (1968), 621-632. [MR0244443](#)(39 #5758). [Zbl 0167.44003](#).

Mădălina Roxana Buneci
University Constantin Brâncuși of Târgu-Jiu,
Bld. Republicii 1, 210152, Târgu-Jiu,
Romania.
e-mail: ada@utgjiu.ro
<http://www.utgjiu.ro/math/mbuneci/>

Surveys in Mathematics and its Applications **1** (2006), 71 – 98
<http://www.utgjiu.ro/math/sma>